

CONTENTS

CHAPTER I

THE DEVELOPMENT OF PEDIGREE

	PAGES
Object of classification—Genealogical trees—Classificatory characters in cotton—Origin of cotton—Evolution of various types of cotton—Three main branches—Evolution of lint—Utility of the lint—Wind distribution—Evolution of fuzz—Effect of one characteristic on others—Fluctuation. <i>Commercial varieties</i> : Subspecies—Elementary species—Improvement of cultivated cotton—Extinct elementary species—Natural crossing—Origin of commercial varieties—Deterioration of varieties—Seed renewal—Yield and breed—Modern ideas—Precision—Variability of cotton—Interpretation of popular expressions	1-20

CHAPTER II

THE DEVELOPMENT OF THE PLANT

Introductory—Stunting—Sowing-time—Poisoning by heat—The temperature of the plant—Limiting factors—Water and germination—Water and the plant—Water and the crop—Effect of sunshine—The events of one day—Suitable soil—Spacing of the plants—The root—Deep draught of the root—Alkali soils—Manures—Plant scaffolding—Variable characteristics—Branches—Cotton-producing machines—Senescence—Rejuvenation—Crop forecasts—Shedding—The boll—Constructive and modifying factors	21-49
--	-------

CHAPTER III

THE DEVELOPMENT OF THE BOLL: I. STRUCTURAL

Introductory—Previous authors—Cause of former errors—Material—The flower-bud—The flower—The fruit—General—Development of the boll—Development of the	viii
--	------

CONTENTS

ix

	PAGES
seed—The endosperm—The embryo—The seed-coats— Development of the lint—Tabulated chronology of boll development	51-85

CHAPTER IV

THE DEVELOPMENT OF THE BOLL: II. ENVIRONMENTAL INFLUENCES

Introductory—Age of boll—Material studied. *Dated Flowers Experiment of 1912*: Statistics—Soil water—Alteration in lint from day to day—Average properties of a bale—Independence of properties—Possible relations of strength and length—Statistical methods—Length degraded by water shortage—Utility of pure strains—Length and strength due to the same causes—The seed—Ginning out-turn—Out-turn and quality not necessarily connected—Possible causes of out-turn fluctuations—The cause—Significance of out-turn—Special and general behaviour of crops—Weight of single lint hairs—Lint hair weight equivalent to hair strength—Number of hairs per seed—Grading and strength—Uniformity and strength. *Daily pickings of 1913*: Hastening maturity—Length of lint—Fluctuating length—Effect of irrigation—Strength of lint—Greater fluctuation—Short-period picking—Quality of pickings—Water-table and lint quality—Differences between pickings—Canal rotations—Classification of pickings—Uniformity in cotton—Plant to plant fluctuation—Hair to hair fluctuation—Uniformity and changes of environment—Summary 86-123

CHAPTER V

THE DEVELOPMENT OF COMMERCIAL LINT

Introductory—Spinning and growing—The meaning of “strength”—Impurity of commercial varieties—Independence of inherited characteristics—Characters of growth habits—Natural selection—Uniformity and cultivation—The limitations of good cultivation—Constitution of Egyptian varieties—Relative importance of seed and cultivation—Colour impurity—Plants of one variety—Origin of the commercial product—Properties of the same—Colour modifications—The significance of lustre—The storage of seed-cotton—The kinds of “strength”—Diameter—Diameter affected by hair strength—Fineness—Interpretation of grader’s terms

	PAGES
—Familiar association of features—Possible mistakes in grading—Unimportance of hair strength—Uniformity—Convolutions of the lint—Reversal of convolutions—Uniformity and pitch of convolutions—Pitch and hair strength—Uniformity—Perfect cotton unattainable—Ubiquity of uniformity	124-152

CHAPTER VI

THE DEVELOPMENT OF COTTON-GROWING

Introductory—Science—Finance—Mechanical pickers—The failure of cotton—The behaviour of a crop—Experimental trials—Small plot trials—Errors of plot-comparison—Need for accurate results—The handling of small plots—Utility of accurate results—Uncertainty of subjective opinions—Elimination of accidents—Crop records—Bolling records—Flowering records—Flowers and the yield—Use of crop records—Variety testing—Pure-strain production—Development of pure-strain breeding—Spinner's testing-house—Fifty years ago	153-170
---	---------

APPENDIX I

METHODS OF INVESTIGATION

Crop records—Cytological methods—Preparation of dated samples—Continuity of record—Ginning—Out-turn—Seed weight—Lint length (single-fibre measurements, pulling, combed seed-cotton)—Examination of the lint (diameter, weight, strength)—Hair strength—O'Neill, Hughes—Automatic tester—Impact testing—Sampling—Grading—Limitations of so-called "scientific methods"	171-195
--	---------

APPENDIX II

TABLES OF STATISTICAL DATA

Dated flowers, 1912: Tables I. and II.—Daily pickings, 1913: Tables III. and IV. (with footnotes)	196-210
LIST OF REFERENCES	211-214
INDEX	215-221