

▲
GENERAL AND ALPHABETICAL

TABLE OF CONTENTS.

▲

- ADOPTION of Lambs*, by other dams than their mothers, page 86.
After birth, what it is, its use, and how it is to be extracted, 82.
Age of Sheep, how known, 28.
Air, much of it required, 19. Sheep resist its injurious effects, 22, 23, 24. When sick should be sheltered from it, 24.
Air, cold, its bad effects on sheep going out of warm stables, 18.

B

- Barometer*, a short description of it, and the manner of using it, 106.
Bark of Trees given to sheep, and the manner of preparing it, 56.
Barley, when green, may prove injurious to sheep, 42. The grain used for their food during winter, 50. Meal or flour disgusting to sheep, 90. Is good for lambs, 87. And is used for stall-feeding, 101.
Barley straw, if bearded, may be injurious to sheep, 56, 57.
Bells, put on the necks of sheep. of what use, 17.
Barrenness of ewes, to what attributed, 78.
Beans, small, given to sheep, 51. Bean chaff and straw also given, 52, 56.
Beets, (white.) or *scarcity root*, given, 49.
Birch-tree leaves, good for sheep, 53.
Box, a tin one, for ointment, 10.
Bleeding, good for sheep having a disease called the heat, or if overheated, 39. For the colick or inflation of the paunch, 43. When ewes cannot cast their lambs from too much agitation, 79, 80. One of the most necessary remedies, 127. Different methods of, 128. A new method preferable to all others, *id.* In what diseases it is most necessary, 129, 130.
Bruces, to support the sheep-fold, 117.
Brine, the use made of it for sheep, 64.
Burnet, stands the winter, 47. Is an artificial grass, 54. Its qualities, 55.

their lambs, 75. To be given lambs as a substitute for milk, 67.

Necessary to sheep and other animals when fattening, 99.

Dogs, are they proper for driving sheep? 10, 11, &c.

Dung, from a home fold, is it as good as that from a stable? 27.

E

Effusion of water, or serum, sheep very liable to it; drinking too much the cause of it, 62, 63.

Elder, its leaves very good for sheep, 53.

England. Sheep remain all winter in the open air. Withdrawn from snow after being covered with it for many days, 28, 29. The means used there for restoring lambs benumbed with cold, 89.

Ewe, what should be her shape? 33. Of what age should ewes be when establishing a flock? 35. How many should be put to one ram? 67. At what age is it proper to put them to breeding? The precaution in coupling, and the care to be taken after, 65, 66. How long do they go, before yearning? 79. How is it known when they are near their time? *id.* Comforting things to be given them while lambing, and what should be done after, 82. How she is engaged to nurse her lambs, *id.* How many does she produce at a birth? 83. What is to be done when she has more than one lamb? *id.* What happens from too long nursing? 84, 85. What should be done that a ewe should nurse and take care of her lamb? 82.

Expense, what is necessary for the melioration of a breed of sheep, and the means of avoiding it? 77.

Exposures, what the best for a home fold, 25.

F

Full of the wool, does it take place with fine woolled sheep? 104.

Fallows, what they are, 11. Sheep may be pastured on them without dogs, *id.*

Fattening of lambs, 88, 89. Of sheep, there are three methods, 98, 99, 100.

Fecundity of a ram, 67. That of ewes sometimes hurtful, 83. It should not be excited in a flock of fine woolled sheep.

Feeding, fields sown, how a shepherd prevents his flock from damaging, 45.

Fenugreek, or Lupins, given to sheep, 51, 52.

Filaments of wool, their variation in point of coarseness, 30.

Fire, or Smoke, necessary to keep off wolves, 17, 18.

Fleece, what is proper to do with it, 104, 108, 109, 111.

Flies, what sheep do to screen themselves from them, 39.

Flock, at what age is it proper to form it? 34.

Fodder, on what months it should be given, 57. At what time of day, *id.* When to desist from giving it, 60. The best makes sheep lose their flesh, 47, 48: means to prevent it, *id.* When necessary to give it, *id.*

- Fog*, makes sheep loathe their food, 63.
- Fold*, what it is, 116. What should be its size, 117. Manner of making and erecting hurdles, 116. How the fold is made, 119. How and when placed by the side of another, 120.
- Fold, domestic, home fold, or sheep cot*, what it is, and its size, 25. Situation, *id*. Height of the enclosure, *id*.
- Folding*, what it is, and how done, 116. How long a time ought sheep to remain in a fold? 118. Should it continue through the night? 121. At what hours of the night or morning should it be changed? 121. If sheep can be folded in winter, 122. What required to manure an acre of land by folding, 118. What is the smallest number of sheep which can be folded? 118. Manner of cultivating land for folding, 124. How long does the manure from folding last? *id*. What is half-folding? 125. Is folding good for pastures? 126. On what artificial pastures has folding been tried? 127. What is blank folding? 121, 122.
- Food of lambs*, how can lambs be fed which have no dams? 76. At what age can lambs take other food than milk? 90.
- Food*, for shepherds' dogs, 16.
- Food of sheep*, what is best? 46, 47. What green food can be had for them in winter? 48. At what time should food be given them? 57. When snow prevents the flock from going out, what food should be given it? 57, 58. How much food is given to sheep at once? 58, 59. What are the advantages of fresh food? 58. When fed at the rack, what should be first given them? 59.
- Frost, white*, injurious when eaten by sheep: what is its remedy? 63.
- Fright*, will make ewes miscarry, 78.

G

- Garlic*, to be given to ewes and rams when they want ardour, 78.
- Gorbes*, or balls of wool, what they are, and how they destroy lambs, 88.
- Gouts*, may be used for nursing lambs, 86.
- Grains*, what are the kinds given to sheep in winter? 50.
- Grasses*, their distinction and character, 54, 55. Their use in artificial pastures, 54.
- Grease*, in winter, preferable to tallow when used in an ointment for the scab, 103.

H

- Ham*, its strength serves to shew good or bad health, 36.
- Hay*, what the best and worst kinds, 53. What quantity should be given at a feeding? 59, 60. The finest, good food for lambs, 99.
- Harricot beans*, given to sheep, 51. The straw or chaff made into bundles for the same purpose, 52.
- Hazle tree*, its branches good for making hurdles, 117.

- Health of sheep*, signs of bad, 33 Of good, 35.
Heat, more dangerous for sheep than extreme cold, 28. The dangerous practice of sheep to avoid the heat of the sun, 39. A disease, and bleeding its remedy, 39
Height of sheep, how measured, 29. What preferred, 34. What should be done to increase it, 68.
Hemp-seed, given to sheep in winter; its effects, 50. Cakes made of it, and their bad effect, 51.
Herbage, what is best for the fattening of sheep? 90. Of trees, good, 100.
Horns, sheep without them preferred, 66, 67.
Horse-Chestnuts, sheep may be fed with them, 56.
Hoove, a disease of sheep; plants which occasion it, 55, 99.
Hunger, most of the lambs which die are destroyed by it, 87, 88.
Hurdles, the manner of making them, 116. Of erecting them, 117.

I

- Inclosure*, the height a fold should have, 25.
Insects, which spoil sheep's wool, 112. The method of guarding in some measure against them, 114, 115.
Instruments of Musick, proper for a shepherd, 46. Sheep pleased with musick, *id.*
Instruments, surgical, description, 10.
Ivy, ground, increases milk in ewes, 84.

J

- Jarre*, what it is, 32.
Journeying of sheep, at what age and season is it proper? 76. How managed when journeying, *id.*

K

- Kennel*, its description and use, 122, 123.
Knife, a shepherd's, its form, 10.

L

- Lamb*, what should be its situation in the belly of the mother? 80. What are the bad situations and the means of remedying them? 81. What is to be done to make a ewe nurse its lamb? 82. How many lambs may a ewe cast at a birth? 83. What is to be done with a lamb just dropt? 85. When the ewe has not sufficient milk? 83, 86. How can the milk of a ewe be increased? 84. What are the means of making a ewe own a lamb not her own? 86. How a lamb may be fed by hand, 86, 87. What a shepherd should do when a lamb is dull, feeble, and thin, 87. Proof that most lambs die of hunger, 87, 88. Method of restoring lambs benumbed with cold, 88, 89. What is to be done with those, which come late, 89. How to fa:

- lambs, *id.* At what age lambs take other food than milk, 90. At what age good to eat, 91. What precautions do they require before weaning? *id.* At what time should they be weaned? *id.* It is proper to cut off their tails, 92. How done, 93. If it is proper to shear lambs, 107. Experiments on this subject, 107, 108.
- Lancet*, necessary for a shepherd, 10.
- Leaves*, what are the best for sheep? 52, 53. The manner of collecting and preserving them, 53.
- Lentils*, given to sheep, 51, 52, 56.
- Linseed cakes*, food for sheep, 51.
- Linseed straw*, may be given, but it is the worst kind, 57.
- Litter*, should the sheep yard be always covered with it? 27. Given to lambs when fattening, 89.
- Locks of wool*, what are their different lengths? 50.
- Lodging*, for sheep, what kind is to be preferred? 18, &c.
- Looseness*, or *scouring*, how cured, 63.
- Lucern*, may in some cases be injurious to sheep, 42. Cultivated as an artificial grass, 54. What are its properties? 55. Good for fattening sheep, *id.*
- Lupines*, or *Fenugrec*, given to sheep, 51. How prepared, 52.

M

- Manuring*, or *dressing of land*, by folding, 124.
- Marsh*, rushes growing thereon make bad hay for sheep, 53.
- Mastiffs*, a good breed of dogs to defend sheep against wolves, 16.
- Maturity of sheep's wool*, how known, 103.
- Meadow*, the hay of salt meadow best for sheep, 53. That of dry pastures very good, 53. Of low marshy ground the worst, *id.*
- Means*, of knowing the ages of sheep, 28. Of preventing the bad effects of dry food, 46. Of restoring lambs benumbed with cold, 88. Of knowing good milk, 86.
- Melting of the fat*, or *molten grease*, a disease of sheep, 56.
- Migration of sheep*, means of destroying the scab, 56.
- Milk*, how it is known if a ewe's be good, 86. How to be increased in ewes, 83, 84. At what times ewes can be milked, 84. What ewes can be milked with advantage, 85.
- Miscarriages*, in ewes, to what causes attributed, 11, 77, 78, 79.
- Moisture*, moist, wet soils injurious to sheep, 38.
- Moths*, not worms, and in what they differ; their description; the damage they do; their transformation, injury and means of guarding it, 112, 113, 114, 115, 116.
- Musick*, sheep pleased with it; the instruments proper for a shepherd, 46.
- Mustard*, although good for sheep may prove injurious to them, 42.
- Muzzle*, to prevent lambs from sucking, 92.

N

Navel string, when the shepherd should break it, 81.

Nut, or *walnut cakes*, given to sheep, 51.

O

Oak nuts or *acorns*, serve for feeding sheep, 50, 51. Also, its leaves and branches, 52, 53.

Oats, excellent for sheep in winter, 56. Prevent sheep losing their flesh in winter, 59. Good to increase milk in ewes, 83, 84. Good for lambs when ground, 90. The best grain for stall feeding lambs.

Oat-chaff, good for sheep, 52.

Oat straw, the best of any other, 56.

Oil cakes, made from turnips, hemp-seed, &c. are good for sheep, 100.

Oil of turpentine, its use in curing the scab, 103, 131.

Ointment, for the scab, shepherds should always have it, 10. The manner of making it, 108. Proper for sheep after shearing, 108. Best for the scab, 131. The manner of using it, and the circumstances when it is necessary, 132.

Onions, should be given to ewes and rams not sufficiently ardent, 78.

P

Parnips, preferable to cabbages for feeding sheep, 42. Increase milk in ewes, 84.

Pasturing, rules to be followed concerning it, 36. On what depends the goodness, 47. Can it be had in winter after frost? *id.* How can the want of grass be supplied? 47, 48, &c. A change of it good for nursing ewes, 84. Wet pastures good to fatten sheep intended to be killed, 99, 100. Method of obtaining the greatest profit from pasturing in the fattening of sheep, 97, 98.

Peas, may be given to sheep, 51. Should be made into bundles, and the straw and leaves given to them, 52. Boiled, increase milk in ewes, 80. Blue, very good for feeding lambs, 90. Their use in stall-feeding, 101. Pods of peas, beans, &c. may be given them, 53, 56.

Pine trees, sheep will eat the bark, 53.

Poplar, its leaves good for sheep, 56. The bark also given them, *id.*

Plants, do sheep eat such as are hurtful to them? 42. What are the plants, which, although nutritious, may prove hurtful to sheep, *id.* How this disease is prevented, 43, 44.

Popsy, may do injury to sheep, 42.

Potatoes, may be given sheep in winter, 49.

Precautions, to be taken against wolves, 17. In coupling of ewes, 93. Before and after castration, 94. After shearing, 108.

Preservatives, pretended against moths, 114, 115, 116.

Proportions of body, for a good ram, and for a good ewe, 33.

Provender, to be given, when a ewe refuses the ram, 78. When the ram wants ardour, *id.* And when a ewe is unable to cast her lamb through weakness, 79.

Q

Qualities (different) of wool, in the same fleece, 111.

Quantity, of food to be given to sheep at a feeding, 61—64. Of cabbage leaves, 58. Of straw, 59. Of hay, 60. Of grass, 61. Of drink, *id.* Of salt, 63, 64. Of food at stall-feeding, 100.

R

Ram, what are the proportions of body which should distinguish him? 33. At what time should he be put to the ewes? 65. Are those which have no horns to be preferred? 66, 67. At what age should he be put with the flock, and to what time can he produce good lambs? 34, 35. How many ewes can he serve in a season? 67. Good rams more necessary than good ewes to improve a flock, 73. The choice to be made of rams to improve a breed, 74. The method of leaving them with the flock for the whole year improper, 77.

Races, or *breeds*, (different) of sheep, 29. Are the largest best? 34.

Rack, for sheep, its description, 21. Situation in the home fold, 23. To be placed very low, 28. Means to prevent the want of it, when sheep are on a journey, 76, 77.

Radishes, given to sheep in winter, 49. Good for milk, 84.

Rain, less injurious to sheep than dew, 38. Cold rains to be feared after shearing, 108.

Ray-grass, or *melilot*, lambs fed on it when weaned, 91. Used for artificial pastures, 54. Its qualities, 55.

Reeds, the worst kind of hay for sheep, 53.

Renewal and *fall* of sheep's wool, 104.

Roots, what kinds can be given to sheep in winter? 49.

Rot or *scab*, a disease in sheep; wet may produce it, 38, 41. Too much drink one of the causes of it, 58. Fat sheep liable to it, 102. Migration may cure it, 36.

Rules, to be observed in driving a flock, 44, &c.

Rumination or *chewing the cud*, 46. How is it known when a sheep is so doing? 41.

Rye, green field rye may sometimes prove injurious to sheep, 42.

S

Saintfoin, artificial meadow made with it, 54. Its qualities, 35. It may be given to lambs, 90. Is the best grass for fattening sheep, 99.

Salists, or *goats beard*, proper for sheep, 49. Makes ewes increase their milk, 84.

- Salt*, is it proper to give to sheep, 64. The effect it produces, *id.* In what quantity, at what time, and in what manner to be given, *id.* Put on the back of lambs, in some cases, to make the ewes lick them, 82.
- Samples*, necessary to know the different qualities of wool, 31.
- Satchel*, or *scrip*, necessary for a shepherd, and its use, 10.
- Scouring of sheep*, a disease; dew and white frost produce it, 63, 99. Means of preventing it in lambs, 89. Pernicious in fattening, 99.
- Scouring of wool*, how it is done, 110.
- Scab*, a disease in sheep, its symptoms, 130, 131. There is a scab, which does not itch, 131. What is the best application for it? *id.* How is it used? 132.
- Scratcher*, its form, 10.
- Season*, when fodder is given, and when discontinued, 57, 60.
- Seeds*, what are those used for sheep in winter, 59.
- Sheds*, what they are, and if they make good lodging for sheep, 19, 20.
- Sheep*, in England, remain the whole winter in the open field, 23. What are the principal points which distinguish them? 28. How is their age known? *id.* Their different sizes, 29. Different breeds, *id.* Means of enlarging them, 68. Different qualities of their wool, 31. Signs of their ill health, 33. Description and cure of their common diseases, 127—133. How to choose sheep to have them good, 33. Are the largest to be preferred? 54. At what age to form a flock, *id.* The attention to be paid in shifting sheep from one country to another, 56. Rules to be observed in pasturing them, *id.* In coupling them, 65. Means of drawing good profit from them, *id.* At what age and season to journey, 76. Precautions to be taken in bringing them to a new country, 77. At what time to shear, 103. How to be washed before shearing, 105. The care to be taken of them after shearing, 108, 109. Folding, 116. How much land each sheep can manure at a folding, 123. On chewing the cud, 40. Sheep of Spain produce lambs at a great age, 68.
- Sheep fescue grass*, (coquiote) 54. Its qualities, 55. Can be used for the fattening of wethers, 100.
- Shepherd*, at what age to be chosen, 7. His livelihood, 7, 8. His qualifications, 8. His necessaries, 8, 9. How he ought to conduct his flock, 36. German shepherds wean their lambs at six weeks, 84.
- Shelter*, what is the best, 29.
- Skirret*, its root good for sheep in winter, 49.
- Snow*, prevents the gangrene in parts frost bitten, 9. How do sheep get rid of it? 22. Can they be buried in it for a length of time without suffering, 22, 23, 24. Is it hurtful to sheep to eat it? 63. Experiments thereon, *id.*
- Second wool*, its fineness, the part of the body from which it is taken, 111.

- Signs*, by which good sheep are known, 33. When fat, 102. When in bad health, 33. When in good, 55. When a ewe is about to cast her lamb, 79.
- Situation* of the lamb in the belly of the mother, 80, 81. What are bad situations, and the manner of changing them? 81.
- Shearing*, at what time it should be done, 103. The best method, 106. If proper to shear lambs, 107. Treatment of sheep after shearing, 108.
- Soil*, what most proper for sheep, 97.
- Sorting of wool*, the Spaniards sort the fleece into four parts, 111.
- Spirits of Turpentine*, is its smell a preservative against moths? 115.
- Stable*, when a close one is the worst lodging for sheep, 18. When open, what its good and bad effects, 19.
- Straw*, threshed, given to sheep, 56. What are the best kinds, *id.* What quantity should be given at a feeding? 59. To what time is this food sufficient? 60. If twice threshed it may be given to lambs, 90. Oat straw is the best for lambs, *id.* Barley straw sometimes sticks to the tongue and always to the wool.
- Suckling*, what is proper to be done to make a ewe nurse its lamb, 82. 83. Nursing too long injurious, 84.
- Sulphur*, its smoke destroys moths, 113. It should not be used in store-houses of wool, *id.*
- Sun*, how sheep defend themselves against its ardour, 39. Its great heat injurious after shearing, 108.

T

- Tail*, is it proper to cut off the tail of lambs? 92. The inconvenience of leaving it its whole length, *id.* How it should be cut, 93.
- Tallow*, used in an ointment for the scab, and is preferable to grease in summer.
- Teeth*, their different renewals, forms, decay, and fall, indices of the age of sheep, 28.
- Third quality of wool*, how designated, 111.
- Thirst*, too great, a sign of diseased sheep, 61, 62.
- Thunder*, produces miscarriage, 78.
- Times*, for coupling, 65. For giving sheep fodder, 57. For discontinuing it, 60. For giving them drink, 61, 62. For giving them salt, 63, 64. For driving them to pasture, 39, 40.
- Timothy or herd's grass*, used for fattening sheep, 100.
- Tippler*, a small tube for the feeding of lambs, 86, 87.
- Topinambours*, a species of potatoes used for feeding sheep in winter, 49.
- Trefoil*, artificial pastures made of it, 54. Its qualities, 55. May be given to lambs, 90. Serves for fattening sheep, 100. May give them the hove, 42. Good for weaning lambs, 90.

- Trees*, sheep can be made to eat the bark and leaves, 56.
Troughs, how made and placed, 26, 27.
Turnips, a pretty good food for sheep, 49. Favourable to milk in ewes, 84. Serve for stall feeding, and how used, 101. Oil cakes made with the seed, given to sheep, 100.
Twisting the bag or cord of rams, what it is, 96.
Twitchgrass, (*fromental*;) is ranked among the artificial grass; its qualities, 54. And serves for the fattening of sheep, 100.

U

- Urine*, necessary for the scouring of wool, 110.

V

- Vegetables*, what are those given to sheep? 51, 52.
Vein, the angular, the most convenient for bleeding, 128.
Veins, shew the good or bad health of sheep, 35, 36.
Vertigo, in sheep, 38.
Fetches, given to sheep, 51. What is done with the straw after threshing? 52, 56.

W

- Washing of wool on the sheep's back*, how done, 105. Precautions necessary, *id.* After shearing, 109. At what time and in what manner done, 109, 110.
Water, what good and bad for sheep, 61. What quantity should a sheep drink, and at what time should it be given? 61, 62.
Weaning of lambs, when and how should it be done? 90, 91, 92.
Wethers, why made, 93, 94, &c. What are the signs of good? 33. At what age put with the flock, 35. What soil best agrees with them, 97. When fat in the flock, 98. Different methods of fattening them, *id.* What are the signs of being fat? 102. Do they live long? *id.* At what age is it proper to fat them? 102, 103.
Wethers, female, why so called, and at what age made, 95. How done, 97.
Wheat, when green, may be injurious to sheep, 42. Bundles of threshed straw very good for sheep, 52. Its straw not so good as rye straw, 56. Wheat bran good in winter, 50. Mixed with oatmeal, good for lambs, 90. Good for stall feeding, 101.
Whip, necessary for a shepherd, 9, 44.
Wind, when at north-east, should be sheltered within the home fold, 25.
Willow tree, the sheep eat its leaves, 53.
Winter, sheep may be abroad in the open air, 22. Experiments to prove the fact, 23, 24.
Wood, stands the frost and winter; pasture may be made of it, 47.

Wool, secures sheep against injury from the air, 22. How it is distinguished, 30, 31. Mother wool, what it is, 111.

Wolves, what precautions should be taken against them, 18. What the shepherds should do when one approaches his flock, *id.* Provoke miscarriages by frightening the ewes, 78.

Worms, in wool, are no other than moths. See *Moths*.

Y

Yoke elm, sheep eat its leaves, 53.

Folk, or the *grease in wool*, what it is, 22. Its use, 23, 109