

TABLE OF CONTENTS

PART ONE — FABRIC SELECTION

INTRODUCTION	<i>Page</i>	Section II: Selection and Care of Fabrics, Continued:	<i>Page</i>
Section I: The Fundamental Processes of Drycleaning	1	5. <i>Acrylic</i>	
Section II: Selection and Care of Fabrics	5	Orlon	45
A. <i>Natural Fibers</i>		Orlon Cantrece	46
1. <i>Cellulosic</i>		“Sayelle”	46
Cotton	7	Type 29	46
Acetylated and Cyanoethylated Cottons	8	Acrilan	47
Linen	9	Creslan	49
Ramie	10	Zefran	51
Jute	11	Zefkrome	52
2. <i>Protein Fibers</i>		6. <i>Modacrylic</i>	
“Pure Dye Silk,” “Silk,”		Dynel	53
“All Silk”	13	Verel	55
Weighted Silk	15	7. <i>Polyester</i>	
Wool	17	Dacron	57
Specialty Hair Fibers	19	Fortrel	59
B. <i>Man-made Fibers</i>		Kodel	61
1. <i>Rayon (Regenerated Cellulose)</i>		Vycron	63
Regular Rayon	21	8. <i>Saran</i>	
Fortisan	22	Saran	65
<i>High Strength Rayon</i>		Rovana	67
Avron	23	Velon	69
Lirelle	25	9. <i>Vinyon</i>	
<i>Cross-Linked Fibers</i>		Rhovyl	71
Corval	27	10. <i>Olefin</i>	
<i>Polynosic</i>		Polypropylene	73
Avril	29	Gerfil	74
Zantrel	31	Polyethylene	75
Rayon Trade-mark Names ..	32	Olefin Fiber Trade-mark Names	76
2. <i>Acetate</i>		11. <i>Spandex</i>	
Acetate	33	Lycra	77
Crystal Acetate	35	Vyrene	79
Estron SLR	37	Spandex Trade-mark Names ..	80
Arnel	39	Orofil	80
Acetate Trade-mark Names ..	40	12. <i>Vinal</i>	
3. <i>Nylon</i>		Air Co Vinal	81
Nylon 6; Nylon Type 6,6	41	13. <i>Rubber</i>	
Antron Nylon	42	Natural Rubber	83
Caprolan Nylon	42	Rubber Fiber Trade-mark Names	84
Nylon Trade-mark Names ..	40	Synthetic Rubber	84
4. <i>Glass</i>		14. <i>Metallic</i>	
Fiberglas	43	Metallic Fabric	85
Beta Glass	44	Metallic Yarn Trade-mark Names	87
Glass Fiber Trade-mark Names	44		

Section II: Selection and Care of Fabrics, Continued:

15. Paper	
Paper Fabric	89
16. Nylril	90
17. Azlon	90
C. <i>Fiber Identification</i>	
Burning Test	91
Microscopic Test	93
Chemical Solubility Tests	94
Dye and Stain Tests	96
Staining Other Than General	
Dye Stain	96
Specific Gravity of Textile	
Fibers	97

Section III: Definition of Terms

Fabric Combination	101
Fabric Blend	101
Combed Cotton	103
Carded Cotton	103
Mercerized Cotton	105
Supima Cotton	105
Filament Yarn, Filament Fabric	107
Spun Yarn, Spun Fabric	107
Douppioni Silk	109
Wild or Tussah Silk	109
Silk Noils	110
Waste Silk	110
Denier	110
Worsted	111
Woolens	111
Bleeding Dyes	113
Fluorescent Dyed	113
Solution Dyed	115
Bulked Yarns, Bulky Yarns	115
Textured Yarn Trade-mark Names	116
Stretch Yarns	117
Types of Stretch Yarns	118
Classification of Stretch Fabrics	119

Section IV: Finishes

Abrasion Resistant	122
Trade-mark Names	122
Antiseptic (Bacteriostatic)	123
Trade-mark Names	123
Anti-static	123
Trade-mark Names	123
Crisp	125
Trade-mark Names	125
Chlorine-Resistant	125
Trade-mark Names	125
Crease-Resistant	
(Wrinkle-Resistant)	127
Trade-mark Names	127
Ciré	127
Crush-Resistant	128
Flame-Resistant	129
Trade-mark Names	129
Fume Fade-Resistant	129
Trade-mark Names	129
Glazed	130
Insulated	130
Lamination	130
Mildew-Resistant	130
Trade-mark Names	130
Minimum Care	130

Section IV: Finishes, Continued:

Trade-mark Names	130
Microporous (Waterproof)	131
Trade-mark Names	131
Moth-Resistant	131
Trade-mark Names	131
Opaque	133
Presensitizing	133
Perfumed and Odorless	134
Permanent	135
Permanent Gloss or Luster	135
Perspiration-Resistant	136
Trade-mark Names	136
Shrink-Resistant (Mechanical)	137
Shrink-Resistant (Chemical)	137
Dimensional Stability Trade-mark	
Names	138
Slip-Resistant	139
Stain and Spot Resistant	139
Stain and Spot Trade-mark Names	140
Softeners	140
Trade-mark Names	140
Stretch and Sag-Resistant	141
Solvent-Soluble	141
Taffetized	142
Vistaglass	142
Waterproof	143
Water-Repellent	143
Trade-mark Names	144
Water-soluble	144
Wrinkle-Resistant	144

Section V: Fabric Design

A. <i>Structural Design</i>	
Fiber Dyed	147
Yarn Dyed	147
Cross-Dyed	149
Ombre Dyeing	149
Space Dyeing	149
Novelty Yarns	151
Swivel	151
Lappet	152
Dobby and Jacquard	152
Knit and Variations	152
B. <i>Decorative Design Application</i>	
Application Print	153
Blotch Print	153
Burn-out Prints	155
Direct Print	157
Duplex Print	157
Discharge Print	157
Lacquer Prints	159
Orbis Print	160
Overprinted Metallic Designs	161
Pigment-Resin Print	163
Photographic Prints	165
Resist Prints	165
Roller Prints	167
Screen Prints	167
Plissé Prints	169
Warp Prints	169
C. <i>Surface Applied Designs</i>	
<i>Other Than Printing</i>	
Embroidered Designs	171
Embossed Designs	173
Flock Prints	175
Glued Design	177
Hand Painted	177
Lacquer Stencil	179
Moiré	181

Section VI: Fabric Construction	Page
Felting	183
Braiding	183
Netting and Lace	183
Knitting	183
Weaving	186
Bonding	188

Section VII: Fabric Grouping

A. Coated Fabrics	
Metallic Plated	191
Flocked Velvet	193
Flocked Suede (Coated Method)	195
Flocked Suede (Expanded Vinyl Method)	197
Simulated Leather (Coated Method)	199
Simulated Leather (Expanded Vinyl Method)	201
Simulated Leather (Lamination Method)	203
Coated Outerwear Fabrics	205
Coated Rainwear Fabrics	207
Reflective Lining	209
Trade-mark Names	210
Reflective Drapery Lining	211
Trade-mark Names	212
Plastic Laminated Drapery Fabric	213
Opaque Drapery Lining	215
B. Knitted Fabrics	
Jersey Knit	217
Double-knits	219
Brushed Knits	221
Suede-type Knits	223
Ribbon Knits	225
C. Fur-type Pile Fabrics and Simulated Fur Fabrics	
Deep Pile Fur Fabrics	227
Fur-type Pile Fabric— Knit Back	229
Fur-type Pile Fabric— Woven Back	229
Deep Pile Coating Fabric Trade-mark Names	230
Simulated Fur Fabrics— Knit Back	231
Simulated Fur Fabrics— Woven Back	233
Simulated Persian Lamb	235
D. Dress, Suiting, Coating Fabrics	
Brocade	237
Damask	239
Foulard	241
Lamé	243
Matelassé	245
Peau de Soie—Peau D'Ange	247
Poult de Soie	249
Silk and Wool Combinations	251
Surah	253
Broadcloth	255
Cavalry Twill	257
Covert	259
Flannel	261
Gabardine	263
Serge	265
Sharkskin	267

Section VII: Fabric Grouping, Continued:	Page
Cotton Suede	269
Tweed	271
Alpaca	272
Bouclé	273
Boulivia	274
Cashmere	275
Camel's Hair	277
Cheviot	279
Chinchilla	281
Duvelyn	283
Melton	285
Mohair	287
Specialty Hair	289
Velour	291
Whipcord	293
Zibeline	294
E. Non-Woven or Bonded Fabrics	
Felt	295
Reinforced Felt	297
Pellon	299
Bonded Fabric Trade- mark Names	298
Laminated Urethane Foam	301
1. Sandwich	301
2. Open Flame Method	303
3. Chemical Adhesive Method	303
4. Vulcanizing	304
Non-Supported Plastic Film	305
F. Pile Fabrics	
Velvet	307
Velvet with Designs	309
Velveteen	311
Corduroy	313
Corduroy Designs— Special Finishes	315
G. Pleated Fabrics	
Hand, Form, Machine	317
H. Ribbed Weave Fabrics	
Faille	319
Bengaline	321
Ottoman	321
Gros-de-Londres	322
Grosgrain	322
Rep or Repp	322
Barathea	323
Piqué	325
I. Satins	
Satin	327
Embossed Satin	329
J. Stretch Fabrics	
331	
K. Double-Faced Fabrics	
Double-cloth	333
Trade-mark Names	334
Tableau	335
Sunbak	337
L. Shantung	
Silk Shantung	339
Honan	341
M. Sheer Fabrics Semi-to-Stiff	
Cotton Lace	343
Marquisette	345
Net	347
Tulle	349

Section VII: Fabric Grouping, Continued:	<i>Page</i>
Organdy, Cotton	351
Organdy, Silk	353
Mousseline de Soie	355
N. Sheer Fabrics Soft to Semi-Stiff	
Chiffon	357
Georgette	359
O. Crepes	
Crepe	361
Satin-back Crepe	363
P. Taffeta	
Acetate Taffeta	365
Q. Very Stiff Fabrics	
Buckram	367

Section VII: Fabric Grouping, Continued:	<i>Page</i>
Chintz	369
Crinoline	371
Horsehair Net-Nylon	373
R. Fabrics With Stitched Designs	
Pouff	375
Quilted	377
S. Molded Fabrics	
Spun Dynel	379

Section VIII: Terms and Information	
Fabric Terms	381
Textile Terms	386
Sources of Information	389

PART TWO — FABRIC BEHAVIOR IN DRYCLEANING

	<i>Page</i>
Introduction	391
Section I: Loss or Change of Fabric Finish	
<i>Change in Fabric Construction</i>	
Loss of Anti-Static Finish;	
Loss of Softener	397
Loss of Crisp Hand—Markings—	
Streaks	398
Loss of Glazed Finish	399
Loss of Lacquer-type Finish	400
Laminated Finish—Partial or	
Complete Separation	401
Opaque Finish—Alteration or Loss	402
Loss of Presensitized Finish	404
Reflective Finish—	
Alteration or Loss	405
Resin Finishes	406
Objectionable Odor from	
Textile Finishes	406
Rubberized Finish	406
Loss of Solvent-Soluble Sizings	408
Stiffening of Fabrics	409
Stiffening of Fabrics—	
Simulated Leathers and Suedes	410
Loss of Water-Soluble Sizing	412
Section II: Transfer and Bleeding of Color	
Transfer or Bleeding of Dye	
in Drycleaning	414
Transfer or Bleeding of Dye	
in Prespotting	416
Transfer or Bleeding of Dye	
in Pressing	417
Transfer or Bleeding of Dye	
in Spotting	418
Transfer of Dye by Sublimation	421
Transfer or Bleeding of Color	
during Wear	424
Transfer or Bleeding of Dye	
in Wetcleaning	425

	<i>Page</i>
Section III: Loss or Change of Color	
Color Loss from Abrasion	427
Loss of Color in Acetate Fabrics	429
Acid Color Change on Wool	430
Color Change Caused by Alkali	431
Color Change from Bonded Wool	432
Loss of Color from Cold Wave	
Solution	433
Loss of Color from the Crocking	
of Dye	434
Color Change—Fluorescent Dyes	436
Color Change Due to Fume Fading	
(Atmospheric Gas Fading)	437
Greying and Yellowing of Nylon	
(See page 471.)	
Color Change—Pressing	439
Color Change to Light	440
Mildew	441
Color Change to O-Fading	441
Loss of Color from Perfume	442
Color Change from Perspiration	443
Color Change Due to Redeposition	
of Soil	444
Loss of Color—	
Naphthol Red Dye in Spotting	446
Resin-Bonded Pigments	447
Color Change in Salt-Sensitive Dyes	449
Solvent-Soluble Dyes	450
Color Change or Loss in Storage	452
Color Change from Water—	
Red Dye on Rayon	453
Color Change from Water—	
Red Dye on Wool	454
Section IV: Fabric Damage	
<i>Damage to Fabric—</i>	
<i>Chemical Damage</i>	
Acid Damage (Hydrocellulose)	455
Acid Damage (Hydrochloric)	456
Acid Damage (Hydrochloric)	
Bonded Wool	457

Section IV: Fabric Damage Page*Chemical Damage, Continued:*

Acid Damage (Hydrochloric)	
Flocked Suede; Flocked Velvet..	458
Acid Damage (Sulfuric)	460
Alkali Damage	461
Chloride Damage to Silk	462
Chlorine Retention	463
Deodorants and Anti-Perspirants	464
Dissolving of Acetate	465
Metallic Corrosion	466
Oxidizing Agents (Oxycellulose)	469
Sunlight Damage	470
Yellowing and Greying of Nylon	471

*Damage to Fabric—**Mechanical or Physical*

Breaking of Yarns	472
Chafing	473
Flattening, Tufting, and	
Matting of Pile	474
Insect Damage	476

Damage to Fabric—Heat

Burning or Fusing from	
Hot Embers	477
Creasing in Pressing	478
Glazing and Fusing	479
Scorch	480
Shine	481
Shrinkage of Fibers from	
Heat—Dacron	482
Shrinkage of Fibers from Heat—	
Heat-Sensitive	483

*Damage to Fabric—**Fabric Construction*

Abrasion on Rib Weave	484
Bar Effect in Knits	485
Loss of Elasticity—Stretch	
Fabrics Containing Rubber ..	486
Oil Streaks	488
Pilling	489
Quilted Fabrics—Damage from	
Fiber Batts	490
Structural Design—Bouclé Yarn..	492
Structural Design—Unsupported	
Metallic Yarns	493
“V” and “W” Type Velvet	494
Woven Defects	495
Wrinkling—Permanent	498
Yarn Slippage	499

*Damage to Fabric—**Surface Designs and Prints*

Corded Design	
(Mechanical Damage)	500
Couched Design	
(Cheical Damage)	501
Couched Design	
(Mechanical Damage)	502
Discharge Prints	503
Embossed Designs	504
Eyelet Embroidery Designs	505
Flocked Designs	506
Lacquer Stencil Prints	508
Moiré Designs	509

*Damage to Garments—**Construction and Design*

Bandings—Softening	510
Coil-type Closure of Nylon—	
Heat Damage	511
“Cocklebur” Type Closure of	
Nylon—Physical Damage	512

Section IV: Fabric Damage Page*Chemical Damage, Continued:*

Metal Closure—Brown Spots	
and Holes	513
Hem Tape—	
Removed in Drycleaning	514
Interlinings—Interfacings	515
Shoulder Pads, Non-Woven Fabric	
(Materials that may cause	
Spontaneous Ignition)	516
Fusable Interfacings or Press-On	
Linings	517
Loss of Pleats	518
Seam Slippage	520
Shoulder Pads and	
Padding—Damage	521
Stitching Thread Failures	522
Webbings—Loss of Elasticity ..	523

Damage to Garments—Trim

Beads—Delustering Acetate	
Fabric	524
Beads—Dissolving	525
Beads—Tarnishing	525
Belts—Damage	526
Buttons—Damage	527
Elbow Patches—Damage	529
Glued on Trim—Removed in	
Drycleaning	530
Polystyrene Tear Drops	
Clouding or Dissolving	531
Damage to Sequins	532

Section V: Dimensional Change

Relaxation Shrinkage	533
Relaxation Shrinkage—	
Hydrophobic Fibers	534
Swelling Shrinkage—	
Hydrophilic Fibers	535
Felting Shrinkage	537
Shrinkage in Pressing or	
Finishing	538
Progressive Shrinkage	540
Shrinkage of Bias-Cut Garments..	541
Shrinkage in Fabric Combinations	544
Apparent—Not Actual Shrinkage	545
Shrinkage of Plastic Interlinings	546
Shrinkage of Stitching Thread ..	547
Pick and Pick Shrinkage	549
Shrinkage and Puckering Due to	
Yarn Characteristics	550

Section VI: Physiological Reactions

Danger from Mothproofed Garments	551
Skin Irritation	552
Smarting of Eyes	553

Section VII: Spot and Stain Removal

Introduction	554
Stain Identification	555
Classification of Stains	555
Methods of Stain Removal	557
Research on Stains and Stain	
Removal	559
New Stains	559
Home Removal of Stains	560
Stain Removal Chart	562
Recommendations for Clothes Care..	564

BIBLIOGRAPHY	565
---------------------------	-----

INDEX	567
--------------------	-----

ILLUSTRATIONS

PART ONE

<i>Figure Number</i>	<i>Page</i>	<i>Figure Number</i>	<i>Page</i>
1. The loops that run lengthwise of a knit fabric are called "wales"	185	7. Plain weave	186
2. The loops that run crosswise of a fabric are called "courses"	185	8. Rib weave	186
3. Run-resist circular knit stitch	185	9. Basket weave	186
4. Single warp tricot knit stitch	185	10. Twill weave	187
5. Double warp tricot knit stitch	185	11. Satin weave	187
6. The milanese stitch	185	12. Leno weave	187
		13. Cross-section "V" and "W" weave velvet	188

PART TWO

SECTION I

1. NID's Textile Analysis Laboratories	391
2. NID's Textile Advisory Committee	392
3. NID's Research Laboratories	392
4. Flow of textiles from maker to consumer	394
5. Loss of fabric finish	397
6. Light streaks in silk organza when fabric is folded, pleated, darted or tucked	398
7. Bending flexing, folding, rubbing, abrading break-up glazed finish	399
8. Paper taffeta	400
9. Simulated leather separates from knitted cotton laminated to foam	401
10. Coatings used on drapery linings removed	402
11. Coatings used on drapery linings stiffen	403
12. Coatings used on drapery linings wrinkle	403
13. Loss of presensitized finish used to form permanent pleats and creases	404
14. Loss of creases in trousers	404
15. Reflective lining fabrics lose metallic particles	405
16. Rubber film partially separates from rainwear fabric causing blisters on outer surface	407
17. Coated surface of rainwear fabric separates from base fabric	407
18. Solvent-soluble sizing on net	408
19. Resin sizing removed from net	408
20. Plastic-coated rainwear fabric stiffened in drycleaning	409
21. Resin-coated lightweight fabric	409
22. Simulated leather trim	410
23. Simulated leather jacket front of flannel dress	410
24. Simulated leather jacket stiffens	411
25. Simulated vinyl suedes separate and stiffen	411
26. Loss of water-soluble sizing	412
27. Removal of water-soluble sizing in net	413
28. Fabrics stiffen by spraying sizing	413

SECTION II

29. Solvent-soluble purple dye in print	415
30. The red dye in wool lining bled	415
31. Fluorescent dyes sensitive to prespotters	416
32. Bleeding of color occurred	417
33. Black dye bled to moisture	418
34. Black fibers in felt skirt bled to moisture	419
35. Dark interlinings sometimes dyed with fugitive dyes	419
36. Black interlining of car coat bled to moisture	420
37. Spotting reagent removed dye	420
38. Yellow dye streaks caused by dye transfer	421
39. Loss of color in acetate yarns—sublimation of dye	422
40. Stay tape is stained from acetate yarns	422
41. Some dyes sublime to heat and steam	423
42. Red dye of jacket lining transferred to white blouse	424
43. Bleeding of blue dye in wetcleaning	425
44. Bleeding of dye in black grosgrain ribbon trim	426
45. Bleeding of dye in thread	426

SECTION III

46. Loss of color from abrasion in spot removal	428
47. Loss of color from abrasion in wear	428
48. Loss of color in acetate fabrics	429
49. Acid color change on wool	430
50. Color change caused by alkalies	431
51. Color change from bonded wool	432
52. Loss of color from cold wave solution	433
53. Loss of color from crocking of dye	434
54. Simple test to determine crocking of dye	435
55. Fluorescent dyed fabric loses brightness	436
56. Fume fading-color change	438
57. Fume fading-complete color change	438

<i>Figure Number</i>	<i>Page</i>
58. Red dye changes to blue on cotton fabric	439
59. Color change to light	440
60. Color change to O-fading	441
61. Loss of color from perfume	442
62. Color change from perspiration	443
63. Redeposition of soil in drycleaning	445
64. Redeposition of soil due to textile finish ..	445
65. Red Azoic and Napthol dyes sensitive to spotting	446
66. Serviceability of pigment prints	447
67. Loss of pigment caused by abrasion	448
68. Loss of yellow pigment soluble in drycleaning	448
69. Color change in salt-sensitive dye	449
70. Solvent-soluble dye—complete solubility	450
71. Solvent-soluble dye—partial solubility	450
72. Solvent-soluble dyes	451
73. Performance of printed fabrics to drycleaning	451
74. Water-soluble dye on rayon	453

SECTION IV

75. Fehling's solution test	455
76. Hydrochloric acid damage to wool fabric	456
77. Fabric damage from bonded wool inter- lining	457
78. Fabric damage from bonded wool shoulder pad	457
79. Flocked suede changes color from exposure to light	458
80. Loss of fabric strength resulting from oxida- tion of adhesive on flocked fabrics	459
81. Flocked suede deteriorates in storage	459
82. Acid damage from neoprene latex	459
83. Damage from sulfuric acid—wool trousers ..	460
84. Damage from sulfuric acid—Dacron and cotton	460
85. Alkali damage to a wool fiber	461
86. Chloride salts weaken many types of fabrics	462
87. Formaldehyde resin-treated fabric	463
88. Fabric damage caused by a deodorant	464
89. Acetate fibers, yarns, and fabric dissolved ..	465
90. Metallic yarn corrosion	466
91. Some metallic yarns turn green	467
92. Metallic yarns affected by spot removal agents	467
93. Removal of lacquer coating from metallic yarns	468
94. Turnbull's blue test	469
95. Tendering of vat dyed fabrics	470
96. Sunlight tendering of curtains	470
97. Yellowing, greying of nylon	471
98. Typical fabric damage in silk and wool fabric	472
99. Chafing may remove color and disturb fibers ..	473
100. Flattening of acetate pile	474
101. Flattening of deep pile fabrics containing heat-sensitive fibers	475
102. Tufting of deep pile fabrics	475
103. Moth, carpet beetle and other insect damage..	476
104. Fabric—typical moth damage	476
105. Hot ember from cigarette or fireplace causes fabric damage	477
106. Repeated creasing in pressing causes splitting	478
107. Fusing of heat-sensitive fibers pressed with too hot an iron	479
108. Scorching in pressing	480
109. Shine caused by too much heat and pressure	481
110. Heat in pressing causes crinkled Dacron yarns to flatten	482
111. Shrinkage of polyethylene yarns from heat	483
112. Fine filament yarns in ribbed-weave fabrics ..	484
113. Pick-up oil from knitting needle oxidized	485

<i>Figure Number</i>	<i>Page</i>
114. Metallic and acetate stretch yarn loses elasticity	487
115. Metallic stretch fabric curled and rippled in wear	487
116. Rubber core yarn wrapped with cotton yarn relaxed in areas of stretch during wear ..	487
117. Oil streaks and smudges on silk satin	488
118. Pilling of fibers of loosely twisted yarns	489
119. Stitching patterns on quilted fabrics	491
120. Non-woven paper-like sheet used in quilted fabric results in damage	491
121. Low tear strength of non-woven paper-like lining fabric	491
122. A decorative bouclé yarn results in fabric damage	492
123. Unsupported metallic yarns	493
124. "V-shaped" pile velvet	494
125. Yarn slippage due to low twist, low number of yarns	499
126. Yarn slippage appears as dye stain or bleeding	499
127. Glass cording causes fabric damage	500
128. Fabric damage of couched design traced to sulfuric acid	501
129. Rough edge of pressure foot bar causes damage	502
130. Damage caused by cutting action of em- broidery needle	502
131. Damage—Discharge prints	503
132. Embossed designs removed in wear and drycleaning	504
133. Fabric damage from too much pressure on embossing roller	504
134. Lacquer in eyelet embroidered designs may discolor in drycleaning	505
135. Lacquer on edges of lace and embroidery may discolor in drycleaning	505
136. Metallic particles flocked to fabric surface.....	506
137. A typical flocked design	506
138. Flocked strips that resemble velvet ribbon ..	507
139. Flocking cemented directly to surface of fabric to create design	507
140. Flock removed, resin binder shows outline of design	507
141. Lacquer stencil prints	508
142. Moiré designs—permanent and non-permanent	509
143. Pressure of engraving roller in making moiré designs causes damage	509
144. Some gripper bandings become soft and sticky	510
145. Coil-type closure of nylon	511
146. "Cocklebur" type closure of nylon	512
147. Slide fasteners may cause brown spots and holes	513
148. Hem tape coated with plastic material, at- tached to dress by heat and pressure, re- moved in drycleaning	514
149. Spontaneous combustion of a toy	516
150. Foam rubber, rug backings, and non-woven fabrics, may smolder and burn	516
151. Stains from press-on linings	517
152. Pleats separate in wear or drycleaning	518
153. Novelty pleats lost in wear or drycleaning ..	518
154. Plastic-type sizing used on lining fabric to hold pinch-pleats solvent-soluble	519
155. Hangtag showing care instructions on pinch- pleated garment	519
156. Seam slippage	520
157. Deterioration of foam padding in storage	521
158. Breaking or shrinking of thread	522

<i>Figure Number</i>	<i>Page</i>
159. Some elastic webbings lose elasticity	523
160. Bead decorated garments require special care in finishing	524
161. Over-steaming results in delustering of fabric	524
162. Damage to bugle beads	525
163. Some belt backings unsatisfactory	526
164. Some belt backings satisfactory	526
165. Some buttons and buckles dissolve in solvent	527
166. Solvent-soluble adhesives used to hold some buttons and buckles	527
167. Some polystyrene buttons soften or partially dissolve in drycleaning	528
168. Steam required in finishing causes some dyed buttons to bleed	528
169. Self-covered buttons damaged from abrasion	528
170. Damage to elbow patches	529
171. Glued on trim removed in drycleaning	530
172. Polystyrene tear drops become cloudy in dry- cleaning	531
173. Three types of sequins combined in one design	532

SECTION V

174. Measuring degree of relaxation shrinkage	533
175. Shrinkage in ribbed-weave fabric	535
176. Shrinkage noted by puckering along seam line	536
177. Swelling shrinkage	536
178. Specialty fibers have tendency to shrink	537
179. Hangtags give finishing instructions for best results	538
180. Heat-sensitive and solvent-sensitive fibers may shrink regardless of drycleaning practices	539
181. Polyvinyl chloride fabrics shrink in finishing	539

<i>Figure Number</i>	<i>Page</i>
182. Progressive shrinkage	540
183. Shrinkage of bias-cut skirts	541
184. Shrinkage in bias-cut garment causes garment to distort	541
185. Typical sewed-in lining fabric	542
186. Seam showing marquisette lining seamed to taffeta dress	543
187. Dress fabric puckers between each gore of skirt	543
188. Orlon very heat-sensitive	544
189. Distortion of handmade ribbon knit	544
190. Does your dress fit too snugly?	545
191. Polyethylene interlining shrinks	546
192. Polyethylene stitching thread shrinks	547
193. Damage caused by shrinkage of quilting threads	548
194. Nylon thread shrinks in drycleaning	548
195. Pick and pick shrinkage, shows up after clean- ing and finishing	549
196. Back view of Figure 195	549
197. A fabric that has tendency to shrink and pucker	550
198. Soft-finished imported fabric shrinkage	550

SECTION VI

199. Some people are susceptible to skin irritation	552
200. Shape is often a clue to stain identification ..	554
201. Classification of stains	555
202. Prespotting of stains	556
203. Removing an ink stain	560
204. Specialized equipment spot and stain removal	561